

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problems Mailbox.**




FIG. 1





FIG. 2



400  
NCA402  
NCAFS404  
HTTP Daemon  
Web serverConnection 406  
----->

408

Connection Identifier  
and HTTP Request  
over Permanent  
listening Stream  
----->

410  
Store Connection  
Identifier & Request

Send Connection Ind  
----->  
412

Accept Connection 414  
----->

Establish Stream to  
Send down HTTP Resp  
while HTTP daemon is  
reading (418) the Req  
and preparing the  
response ~~422~~ (422)

Command to Read Req  
----->  
418

Send the Request 420  
----->

<-----  
416

Prepare the  
Response 422

Send the Connection  
Identifier and Resp  
Over the Stream  
Established in (416)  
426  
----->

Send the Response 424  
----->

2

00654103.083100

FIG. 4

00T.E80" COT45960





FIG. 5






FIG. 7






FIG. 8

0954103-03100




Figure 9